



# THE FIREBRICK & REFRACTORY COMPANY

A.C.N 134 043 048 A.B.N 40 493 430 713

84 Enterprise Way Sunshine West, Vic 3020  
P.O. Box 666 Bacchus Marsh, Vic. 3340

 (03) 9314-3211  
 (03) 9314-3522  
 [sales@firebrick.com.au](mailto:sales@firebrick.com.au)  
 [www.firebrick.com.au](http://www.firebrick.com.au)

## STANDARD ARCH BRICK COMBINATIONS FOR BASIC OVEN APPLICATIONS (Not Allowing For Mortar Joints)

### Combination 2.

Inside Diameter **620mm**

Inside Height **285mm**

Bricks Required Per Ring **12x75/51 Arch Brick**      **5x75/63 Arch Brick**

Brick Combination


75/51,75/51,75/63,75/51,75/51,75/63,75/51,75/51,75/63,75/51,75/51,75/63,75/51,75/51,  
75/63,75/51,75/51



# THE FIREBRICK & REFRACTORY COMPANY

A.C.N 134 043 048 A.B.N 40 493 430 713

84 Enterprise Way Sunshine West, Vic 3020  
P.O. Box 666 Bacchus Marsh, Vic. 3340

 (03) 9314-3211  
 (03) 9314-3522  
 [sales@firebrick.com.au](mailto:sales@firebrick.com.au)  
 [www.firebrick.com.au](http://www.firebrick.com.au)

## STANDARD ARCH BRICK COMBINATIONS FOR BASIC OVEN APPLICATIONS (Not Allowing For Mortar Joints)

### Combination 3.

Inside Diameter                      **720mm**

Inside Height                         **370mm**

Bricks Required Per Ring        **10x75/51 Arch Brick**                      **10x75/63 Arch Brick**

Brick Combination


75/63,75/51,75/63,75/51,75/63,75/51,75/63,75/51,75/63,75/51,75/63,75/51,75/63,75/51,  
75/63,75/51,75/63,75/51,75/63,75/51



# THE FIREBRICK & REFRACTORY COMPANY

A.C.N 134 043 048 A.B.N 40 493 430 713

84 Enterprise Way Sunshine West, Vic 3020  
P.O. Box 666 Bacchus Marsh, Vic. 3340

 (03) 9314-3211  
 (03) 9314-3522  
 [sales@firebrick.com.au](mailto:sales@firebrick.com.au)  
 [www.firebrick.com.au](http://www.firebrick.com.au)

## STANDARD ARCH BRICK COMBINATIONS FOR BASIC OVEN APPLICATIONS (Not Allowing For Mortar Joints)

### Combination 4.

Inside Diameter                    **810mm**

Inside Height                      **430mm**

Bricks Required Per Ring        **7x75/51 Arch Brick   16x75/63 Arch Brick**

Brick Combination

75/63,75/63,75/51,75/63,75/63,75/51,75/63,75/63,75/51,75/63,75/63,75/51,75/63,75/63,  
75/51,75/63,75/63,75/51,75/63,75/63,75/51,75/63,75/63







# THE FIREBRICK & REFRACTORY COMPANY

A.C.N 134 043 048 A.B.N 40 493 430 713

84 Enterprise Way Sunshine West, Vic 3020  
P.O. Box 666 Bacchus Marsh, Vic. 3340

 (03) 9314-3211  
 (03) 9314-3522  
 [sales@firebrick.com.au](mailto:sales@firebrick.com.au)  
 [www.firebrick.com.au](http://www.firebrick.com.au)

## STANDARD ARCH BRICK COMBINATIONS FOR BASIC OVEN APPLICATIONS (Not Allowing For Mortar Joints)

### Combination 6.

Inside Diameter                    **1160mm**

Inside Height                        **580mm**

Bricks Required Per Ring        **15x75 Straight 14x75/51 Arch Brick**

Brick Combination

75,75/51,75,75/51,75,75/51,75,75/51,75,75/51,75,75/51,75,75/51,75,75/51,75,75/  
51,75,75/51,75,75/51,75,75/51,75,75/51,75



